Index

Ahmad, Z., F. Al-Sulaiman and B. J. A. Aleem, *Corrosion Behavior of Carbon Reinforced Plain-weave Laminates*, 23 (10), 1041.

Akkaoui, W. and G. Bayram, *Effects of Processing Parameters on Mechanical and Thermal Properties of Glass Mat Reinforced Nylon 6 Composites*, 23 (8), 881.

Aktaş, A., *Elastic–Plastic Stress Analysis and Plastic Region Expansion of Clamped Aluminum Metal–Matrix Laminated Plates with an Elliptical Hole*, 23 (18), 1997.

Arslan, N., M. O. Kaman and M. Duranay, *Elastic–Plastic Stress Analysis in Aluminum Metal–Matrix Composite-laminated Plates ($[0°/\theta°]_2$) Under Transverse Uniformly Distributed Load*, 23 (18), 2025.

Ataberk, N., M. Uyaner, A. Avci and S. Koçak, *Elasto-plastic Stress Analysis of Aluminum Metal–Matrix Composite Plate Under In-plane Loading*, 23 (5), 563.

Béchet, E., E. Ruiz, F. Trochu and J.-C. Cuilliere, *Re-meshing Algorithms Applied to Mould Filling Simulations in Resin Transfer Moulding*, 23 (1), 17.

Bates, P. and I. Ekhator, *Continuous Consolidation of Commingled Glass and Polypropylene Roving*, 23 (13), 1409.

Baucom, J. N., M. A. Zikry and Y. Qiu, *Dynamic and Quasi-static Failure Evolution of 3D Woven Cellular Composite Systems*, 23 (5), 471.

Çallioğlu, H., S. Aksoy, O. Sayman and H. Yildiz, *An Elastic–Plastic and Residual Stress Analysis of Symmetric Laminated Cantilever Beam Under A Bending Moment*, 23 (2), 195.

Çallioğlu, H., *Stress Analysis of an Orthotropic Rotating Disc under Thermal Loading*, 23 (17), 1859.

Chandrasekaran, E., K. Jayaraman and S. M. Nazeer, *Effects of Symmetric and Antisymmetric Fiber Orientations on the Natural Frequencies of FRP Aircraft Panel Boards*, 23 (8), 831.

Chang, C.-Y., L.-W. Hourng and C.-S. Yu, *Analysis of Flow Phenomena during the Filling Stage of CTM*, 23 (14), 1561.

Chen, G., X. Cheng, Z. Li and C. Kou, *Hygrothermal Properties of Stitched and Unstitched Uniweave T300/QY9512 Laminates (With a Hole)*, 23 (15), 1663.

Chen, G., Z. Li, C. Kou and L. Gui, *Finite Element Analysis of Low-velocity Impact Damage of Stitched Laminates*, 23 (9), 987.

Chen, S.-C., M.-C. Lin, R. D. Chien, M.-Y. Teng and C.-S. Chen, *Surface Visual Quality of Gas-assisted Injection Molded ABS Parts with Various Gas Channel Designs*, 23 (10), 1115.

Chien, R. D., S.-C. Chen, P.-H. Lee and J.-S. Huang, *Study on the Molding Characteristics and Mechanical Properties of Injection-molded Foaming Polypropylene Parts*, 23 (4), 429.

Chien, R.-D., N.-T. Cheng and S.-C. Chen, *Study of the Bending Properties in Gas-assisted Injection Molded Fiber-reinforced Nylon Parts*, 23 (16), 1779.

© 2004 Sage Publications

Cordovez, M., Y. Li and V. M. Karbhari, *Assessment of Dielectrometry for Characterization of Processing and Moisture Absorption in FRP Composites*, 23 (4), 445.

Cortes, P. and W. J. Cantwell, *The Tensile and Fatigue Properties of Carbon Fiber-reinforced PEEK–Titanium Fiber-metal Laminates*, 23 (15), 1615.

Datta, S., A. V. Krishna and R. M. V. G. K. Rao, *Low Velocity Impact Damage Tolerance Studies on Glass-Epoxy Laminates – Effects of Material, Process and Test Parameters*, 23 (3), 327.

Der Chien, R., S.-C. Chen, H.-S. Peng, P.-L. Su and C.-S. Chen, *Investigations on the Weldline Tensile Strength of Thin-wall Injection Molded Parts*, 23 (6), 575.

Eksik, O., R. A. Shenoi, J. I. R. Blake and H. K. Jeong, *Damage Mechanisms of Hat-shaped GRP Beams*, 23 (14), 1497.

Endruweit, A. and P. Ermanni, *Orientation of the Permeability Principal Axes in Bi-directional Textile Fabrics*, 23 (10), 1063.

Esendemir, Ü., *An Elastic-plastic Stress Analysis in a Polymer–Matrix Composite Beam of Arbitrary Orientation Supported from Two Ends Acted Upon with A Force at the Mid Point*, 23 (6), 613.

Esendemir, Ü., *An Elasto-plastic Stress Analysis in a Polymer–Matrix Composite Beam Supported from Two Ends under Transverse Linearly Distributed Load by Use of Anisotropic Elasticity Theory*, 23 (17), 1821.

Esendemir, Ü. and A. Öndürücü, *An Elasto-plastic Analysis of Thermoplastic Composite Cantilever Beam Loaded by A Single Force at its Free End*, 23 (7), 761.

Esendemir, Ü. and A. Öndürücü, *An Elasto-plastic Stress Analysis of Aluminum Metal–Matrix Composite Beam Subjected to Transverse Linearly Distributed Load*, 23 (16), 1695.

Feng, X., X. Yan, Y. Wei and X. Du, *Nonlinear Finite Element Modeling of Delamination Crack Growth Process between Belts of a Radial Tire*, 23 (4), 373.

Ganapathi, M., B. P. Patel and A. V. Lele, *Static Analysis of Bimodulus Laminated Composite Plates Subjected to Mechanical Loads Using Higher-order Shear Deformation Theory*, 23 (11), 1159.

Grewell, D., P. Rooney and V. A. Kagan, *Relationship Between Optical Properties and Optimized Processing Parameters for Through-transmission Laser Welding of Thermoplastics*, 23 (3), 239.

Güven, U., A. Çelik and C. Baykara, *On Transverse Vibrations of Functionally Graded Polar Orthotropic Rotating Solid Disk with Variable Thickness and Constant Radial Stress*, 23 (12), 1279.

Harsha, A. P. and U. S. Tewari, *Tribological Studies on Glass Fiber Reinforced Polyetherketone Composites*, 23 (1), 65.

Hassan, A., R. Yahya, A. H. Yahaya, A. R. M. Tahir and P. R. Hornsby, *Tensile, Impact and Fiber Length Properties of Injection-molded Short and Long Glass Fiber-reinforced Polyamide 6,6 Composites*, 23 (9), 969.

He, K., R. Ganesan and S. V. Hoa, *Interlaminar Stress and Delamination Analysis of Internally-tapered Composite Laminates*, 23 (7), 707.

He, K., S. V. Hoa and R. Ganesan, *Stress Analysis of Tapered Composite Laminates Using Partial Hybrid Finite Elements*, 23 (6), 589.

Hennes, J. and W. Michaeli, *Fast Design of Mixing Sections by Means of Network Theory*, 23 (11), 1135.

Hosur, M. V., M. Adya, S. Jeelani, U. K. Vaidya and P. K. Dutta, *Experimental Studies on the High Strain Rate Compression Response of Woven Graphite/Epoxy Composites at Room and Elevated Temperatures*, 23 (5), 491.

Hosur, M. V., M. R. Karim and S. Jeelani, *Studies on Stitched Woven S2 Glass/Epoxy Laminates Under Low Velocity and Ballistic Impact Loading*, 23 (12), 1313.

Huimin, F. and H. Wei, *A Relational Expression Between the Fatigue Life and Stress Level, Temperature, Humidity for Composite Materials*, 23 (12), 1245.

Ismail, H. and Suryadiansyah, *Effects of Filler Loading on Properties of Polypropylene–Natural Rubber–Recycle Rubber Powder (PP–NR–RRP) Composites*, 23 (6), 639.

Jia, N., H. A. Fraenkel and V. A. Kagan, *Effects of Moisture Conditioning Methods on Mechanical Properties of Injection Molded Nylon 6*, 23 (7), 729.

Jo, B.-W., G.-H. Tae and B.-Y. Kwon, *Ductility Evaluation of Prestressed Concrete Beams with CFRP Tendons*, 23 (8), 843.

John, K. and S. V. Naidu, *Effect of Fiber Content and Fiber Treatment on Flexural Properties of Sisal Fiber/Glass Fiber Hybrid Composites*, 23 (15), 1601.

John, K. and S. Venkata Naidu, *Sisal Fiber/Glass Fiber Hybrid Composites: The Impact and Compressive Properties*, 23 (12), 1253.

John, K. and S. Venkata Naidu, *Tensile Properties of Unsaturated Polyester-based Sisal Fiber–Glass Fiber Hybrid Composites*, 23 (17), 1815.

Kagan, V. A. and C. Roth, *The Effects of Weld Geometry and Glass-fiber Orientation on the Mechanical Performance of Joints – Part I: Weld Design Issues*, 23 (2), 167.

Kagan, V. A. and C. Roth, *The Effects of Weld Geometry and Glass-fiber-orientation on the Mechanical Performance of Joints – Part II: Kinetics of Glass-fiber-orientation and Mechanical Performance*, 23 (16), 1687.

Kagan, V. A. and G. P. Pinho, *Laser Transmission Welding of Semicrystalline Thermoplastics – Part II: Analysis of Mechanical Performance of Welded Nylon*, 23 (1), 95.

Kagan, V. A. and N. M. Woosman, *Efficiency of Clearwelding Technology for Polyamides*, 23 (4), 351.

Kagan, V. A., I. Palley and N. Jia, *Plastics Part Design: Low Cycle Fatigue Strength of Glass-fiber-reinforced Polyethylene Terephthalate (PET)*, 23 (15), 1607.

Kanny, K., H. Mahfuz, T. Thomas and S. Jeelani, *Fatigue of Crosslinked and Linear PVC Foams under Shear Loading*, 23 (6), 601

Kim, H. S., A. Ghoshal, A. Chattopadhyay and W. H. Prosser, *Development of Embedded Sensor Models in Composite Laminates for Structural Health Monitoring*, 23 (11), 1207.

Kishore and N. L. R. Kumar, *An Evaluation of the Effects of Type and Temperature of Aqueous Media on the Compressive Strength of Glass–Epoxy Composites*, 23 (16), 1717.

Kishore, N. L. Ravikumar and S. M. Kulkarni, *Compression Strength of Aqueous Media Exposed Epoxy System Containing Silane Surface Bearing Fly Ash Particles*, 23 (9), 959.

Ku, H. S., K. F. Lee, C. W. Li and B. Widjaya, *Thermal Analysis Comparison between Three Random Glass Fiber-reinforced Thermoplastic Matrix Composites Bonded by Adhesives using Microwaves*, 23 (13), 1443.

Küçük, M., *An Investigation on Buckling Behavior of Simply Supported Woven Steel Reinforced Thermoplastic Laminated Plates with Lateral Strip Delamination*, 23 (2), 209.

Kulkarni, N., H. Mahfuz, S. Jeelani and L. A. Carlsson, *Fatigue Failure Mechanism and Crack Growth in Foam Core Sandwich Composites Under Flexural Loading*, 23 (1), 83.

Kytopoulos, V. N., *A Viscoelastic Macro–Microfracture Delay Mechanism Approach in Particulate Epoxy Composites*, 23 (12), 1325.

Lawrence, J. M., M. Devillard and S. G. Advani, *Design and Testing of a New Injection Approach for Liquid Composite Molding*, 23 (15), 1625.

Lee, H. K., *Effectiveness of Anchorage in Concrete Beams Retrofitted with Sprayed Fiber-reinforced Polymers*, 23 (12), 1285.
Li, H., S. Law and M. Sain, *Process Rheology and Mechanical Property Correlationship of Wood Flour–Polypropylene Composites*, 23 (11), 1153.
Li, Y.-F. and Y.-Y. Sung, *A Study on the Shear-failure of Circular Sectioned Bridge Column Retrofitted by Using CFRP Jacketing*, 23 (8), 811.
Liang, J.-Z., *Estimation of Entry Pressure Drop during Conical Die Flow of Carbon Black-filled Rubber Compound*, 23 (13), 1355.
Lim, T. C., *Reinforcement Parameters of Aligned Ellipsoidal Inclusions by the Generalized Mechanics-of-materials (GMM) Approach*, 23 (5), 549.
Lin, W.-H., C.-H. Lin and M.-H. R. Jen, *An Innovative Fatigue Method in Single-lapped Mixed Composite Joints*, 23 (9), 997.
Liu, S.-J. and C.-Y. Yang, *Application of Statistic Estimation to Weldline Strength of Injection-molded Thermoplastic Composites*, 23 (13), 1383.
Liu, X. L., P. J. Falzon, R. Sweeting and R. Paton, *Effective Compressibility and Permeability of Multi-layer Non-crimp Fiberglass Reinforcements*, 23 (8), 861.
Long, C.-G. and X.-Y. Wang, *Mechanical Properties and Tribology Performance of the Ekonol–PEEK Composite*, 23 (15), 1575.
Lu, Y., C.-F. Tang, Y. Zhao and M. A. Wright, *Optimization of a Semimetallic Friction Material Formulation*, 23 (14), 1537.
Mahadevan, S. and H. Mao, *Probabilistic Fatigue–Creep Life Prediction of Composites*, 23 (4), 361.
Mahale, S., D. Rajamani, A. Revathi, M. Rajendra Prakash, S. Srihari and R. M. V. G. K. Rao, *Hot-wet Property Characterisation of a High-temperature Cured Glass–Epoxy Composite in Immersion Environment*, 23 (17), 1883.
Mariatti, M., M. Nasir, H. Ismail and J. Bäcklund, *Effect of Hole Drilling Techniques on Tensile Properties of Continuous Fiber Impregnated Thermoplastic (COFIT) Plain Weave Composites*, 23 (11), 1173.
Mengel, M., J. Mahler and W. Schober, *Effect of Post-mold Curing on Package Reliability*, 23 (16), 1755.
Mohanty, S., S. K. Nayak, S. K. Verma and S. S. Tripathy, *Effect of MAPP as a Coupling Agent on the Performance of Jute–PP Composites*, 23 (6), 625.
Mohanty, S., S. K. Nayak, S. K. Verma and S. S. Tripathy, *Effect of MAPP as Coupling Agent on the Performance of Sisal–PP Composites*, 23 (18), 2047.
Okumuş, F., *Elasto-plastic Stress Analysis in a Thermoplastic Composite Laminated Plate with Open Circular Hole Loaded Transversely*, 23 (15), 1651.
Oldenbo, M., D. Mattsson, J. Varna and L. A. Berglund, *Global Stiffness of a SMC Panel Considering Process Induced Fiber Orientation*, 23 (1), 37.
Papadopoulos, L. and C. Kassapoglou, *Shear Buckling of Rectangular Composite Plates with Two Concentric Layups*, 23 (1), 5.
Pickering, K. L. and C. Ji, *The Effect of Poly[methylene(polyphenyl isocyanate)] and Maleated Polypropylene Coupling Agents on New Zealand Radiata Pine Fibre–Polypropylene Composites*, 23 (18), 2011.
Pothan, L. A., N. R. Neelakantan, B. Rao and S. Thomas, *Stress Relaxation Behavior of Banana Fiber-reinforced Polyester Composites*, 23 (2), 153.
Prusty, B. G. and C. Ray, *Free Vibration Analysis of Composite Hat-stiffened Panels By Method of Finite Elements*, 23 (5), 533.

Raja, S., D. Dwarakanathan, P. K. Sinha and G. Prathap, *Bending Behavior of Piezo-hygrothermo-elastic Smart Laminated Composite Flat and Curved Plates with Active Control*, 23 (3), 265.

Rajulu, A. V., G. B. Rao, L. G. Devi, X. H. Li and Y. Z. Meng, *Tensile Properties of Epoxy Coated Natural Fabric Hildegardia populifolia*, 23 (2), 217.

Rajulu, A. V., K. N. Chary, G. R. Reddy and Y. Z. Meng, *Void Content, Density and Weight Reduction Studies on Short Bamboo Fiber–Epoxy Composites*, 23 (2), 127.

Ramanathan, T., E. Schulz and K. Subramanian, *Determination of Energy Release Rate in Carbon Fiber–Thermoplastic Composites and Comparison of Crack Propagation in Amorphous and Crystalline Interface By Single Fiber Pullout Test*, 23 (15), 1639.

Ramtekkar, G. S., Y. M. Desai and A. H. Shah, *First Ply Failure of Laminated Composite Plates – A Mixed Finite Element Approach*, 23 (3), 291.

Rao, V. V. S. and P. K. Sinha, *Bending Characteristics of Thick Multidirectional Composite Plates under Hygrothermal Environment*, 23 (14), 1481.

Ray, C., *An Investigation on the Effect of Fiber Weight Fraction on Buckling of Laminated Composite Plates*, 23 (9), 951.

Reeder, J. R. and E. H. Glaessgen, *Debonding of Stitched Composite Joints Under Static and Fatigue Loading*, 23 (3), 249.

Revathi, A., S. Srihari and R. M. V. G. K. Rao, *Moisture Distribution Profiles in RT-Cured Glass/Epoxy Laminates of Different Thicknesses*, 23 (10), 1075.

Roy, S. and A. Lawal, *Isothermal Pseudo-2D Analysis of Reactive Extrusion in Single-screw Extruders*, 23 (7), 685.

Rugg, K. L. and B. N. Cox, *Deformation Mechanisms of Dry Textile Preforms under Mixed Compressive and Shear Loading*, 23 (13), 1425.

Şahin, Ö. S., A. Avci and S. Kaya, *Thermal Buckling of Orthotropic Plates with Angle Crack*, 23 (16), 1707.

Sayman, O., *Thermal Stress Analysis in an Aluminium Metal–Matrix Orthotropic Disc*, 23 (14), 1473.

Sayman, O., H. Çallioğlu, C. Meriç and N. Can, *Effect of Material Nonlinearity on Symmetric Aluminum Metal–Matrix Laminated Composite Beams Under a Bending Moment*, 23 (5), 515.

Sharma, R. and S. Ranta, *On Simplified Composite Micromechanics Equation and Inverse Mixture Rule*, 23 (14), 1465.

Sharma, R., S. Ranta and A. Ranjan, *Bounds on Elastic Moduli of Multiphase Composite Bodies*, 23 (3), 317.

Sharma, S. C., H. N. N. Murthy and M. Krishna, *Interfacial Studies in Fatigue Behavior of Polyurethane Sandwich Structures*, 23 (8), 893.

Sharma, S. C., H. N. Narasimha Murthy and M. Krishna, *Effect of Foam Density and Skin Material on the Damping Behavior of Polyurethane Sandwich Structures*, 23 (12), 1259.

Sharma, S. C., H. N. Narasimha Murthy and M. Krishna, *Low-velocity Impact Response of Polyurethane Foam Composite Sandwich Structures*, 23 (17), 1869.

Sharma, S. C., M. Krishna and H. N. Narasimha Murthy, *Buckling Response of Stitched Polyurethane Foam Composite Sandwich Structures*, 23 (12), 1267.

Shen, H.-S., J.-J. Zheng and X.-L. Huang, *The Effects of Hygrothermal Conditions on the Dynamic Response of Shear Deformable Laminated Plates Resting on Elastic Foundations*, 23 (10), 1095.

Shen, Y. K., H. W. Chien and Y. Lin, *Optimization of the Micro-injection Molding Process using Grey Relational Analysis and MoldFlow Analysis*, 23 (17), 1799.
Shen, Y. K., S. H. Chen and H. C. Lee, *Analysis of the Mold Filling Process on Flip Chip Package*, 23 (4), 407.
Shen, Y. K., W. Y. Wu, S. Y. Yang, H. M. Jian and C-C. A. Chen, *Study on Numerical Simulation and Experiment of Lightguide Plate in Injection Molding*, 23 (11), 1187.
Shih, M.-S., L.-W. Hourng and C.-Y. Chang, *Random Walk Approach on the Study of Void Distribution During the Resin Transfer Molding Process*, 23 (6), 651.
Shimpi, R. P. and A. V. Ainapure, *Free Vibration of Two-layered Cross-Ply Laminated Plates Using Layer-wise Trigonometric Shear Delamination Theory*, 23 (4), 389.
Shojaei, A., F. Trochu, S. R. Ghaffarian, S. M. H. Karimian and L. Lessard, *An Experimental Study of Saturated and Unsaturated Permeabilities in Resin Transfer Molding Based on Unidirectional Flow Measurements*, 23 (14), 1515.
Sk, L. and S. Chakraborty, *Effective Moduli of Random Short Fiber Composite: A Probabilistic Study*, 23 (7), 751.
Sugun, B. S. and R. M. V. G. K. Rao, *Impactor Mass Effects in Glass–Epoxy Composites Subjected to Repeated Drop Tests*, 23 (14), 1547.
Sugun, B. S. and R. M. V. G. K. Rao, *Low-velocity Impact Characterization of Glass, Carbon and Kevlar Composites Using Repeated Drop Tests*, 23 (15), 1583.
Swamy, R. P., G. C. Mohan Kumar, Y. Vrushabhendrappa and V. Joseph, *Study of Areca-reinforced Phenol Formaldehyde Composites*, 23 (13), 1373.
Tang, C.-F. and Y. Lu, *Combinatorial Screening of Ingredients for Steel Wool Based Semimetallic and Aramid Pulp Based Nonasbestos Organic Brake Materials*, 23 (1), 51.
Thagard, J. R., O. I. Okoli and Z. Liang, *Resin Infusion Between Double Flexible Tooling: Evaluation of Process Parameters*, 23 (16), 1767.
Thomas, T., H. Mahfuz, K. Kanny and S. Jeelani, *High Strain Rate Response of Cross-linked and Linear PVC Cores*, 23 (7), 739.
Tong, J. W., M. Y. Xie and M. Shen, *The Interlaminar Stresses of Symmetric Composite Laminates*, 23 (10), 1023.
Topcu, M. and A. Öndurücü, *Thermal Elastic–Plastic Stress Analysis of Aluminum Metal–Matrix Composite Laminated Plates Under A Parabollically Temperature Distribution*, 23 (2), 177.
Topcu, M. and A. Öndürücü, *An Elastic-Plastic Stress Analysis of Symmetric Aluminum Metal–Matrix Composite Laminated Plates Under Thermal Loads*, 23 (12), 1301.
Tutuncu, N. and M. Ozturk, *Stress Redistribution and Instability in Rotating Orthotropic Cylinders*, 23 (9), 941.
Unal, H. and A. Mimaroglu, *Influence of Filler Addition on the Mechanical Properties of Nylon-6 Polymer*, 23 (5), 461.
Vinciquerra, A. J. and B. D. Davidson, *Effect of Crack Length Measurement Technique and Data Reduction Procedures on the Perceived Toughness from Four-point Bend End-notched Flexure Tests*, 23 (10), 1051.
Wan, X. F., Y. L. Wang, F. G. Zhou and Y. Z. Wan, *Moisture Absorption Behavior of Carbon Fiber-reinforced Monomer Casting Nylon Composites*, 23 (10), 1031.
Williams, R. B., B. W. Grimsley, D. J. Inman and W. K. Wilkie, *Manufacturing and Cure Kinetics Modeling for Macro Fiber Composite Actuators*, 23 (16), 1741.
Williams, R. B., D. J. Inman, B. W. Grimsley and W. K. Wilkie, *Manufacturing and Cure Kinetics Modeling for Macro Fiber Composite Actuators*, 23 (17), 1845.

Xu, G. C., A. Y. Li, L. D. Zhang, X. Y. Yu, T. Xie and G. S. Wu, *Nanomechanic Properties of Polymer-based Nanocomposites with Nanosilica by Nanoindentation*, 23 (13), 1365.

Yang, C. and S.-W. Hung, *Modeling and Optimization of a Plastic Thermoforming Process*, 23 (1), 109.

Yao, X. F., W. Xu, G. C. Jin and H. Y. Yeh, *Low Velocity Impact Study of Laminate Composites with Mode I Crack Using Dynamic Optical Caustics*, 23 (17), 1833.

Yapici, A., *Elastic-plastic Stress Analysis of Thermoplastic Matrix-woven Fiber Composite Laminated Plates Under In-plane Loading*, 23 (11), 1143.

Yeh, H.-L. and H.-Y. Yeh, *The Effect of Lamina Material Properties on Hygrothermal Expansion Coefficients of Angle-ply Laminates*, 23 (15), 1673.

Yeh, H.-Y. and H.-L. Yeh, *A Preliminary Multiscale Modeling of Material Failure*, 23 (9), 909.

Yeh, H.-Y., R. K. Berryhill and H.-L. Yeh, *Analytical Damage Zone Size Predictions for Notched Laminated Composites*, 23 (18), 2081.

Yeh, H.-Y., S. V. Nguyen and H.-L. Yeh, *Failure Analyses of Polymer Matrix Composite (PMC) Honeycomb Sandwich Joint Panels*, 23 (9), 923.

Yildiz, H., O. Sayman and M. Aktaş, *Effects of Hardening Parameter and Strain Hardening Exponent on Residual Stress and Plastic Zone Growth in Aluminum Metal–Matrix Composites under Out-of-Plane Loading*, 23 (18), 2065.

Zhao, W., L. Minnetyan and C. C. Chamis, *Fracture Propagation in Composites with Biaxial Fiber Reinforcement*, 23 (2), 221.

Zheng, Y., R. Ning and Y. Zheng, *Glass Fiber-reinforced Polymer Composites of High Compressive Strength*, 23 (16), 1729.

Zheng, Z. and J. J. Engblom, *Computational and Experimental Characterization of Continuously Fiber Reinforced Plastic Extrusions: Part I – Short-term Flexural Loading*, 23 (7), 777.

Zheng, Z. and J. J. Engblom, *Computational and Experimental Characterization of Continuously Fiber Reinforced Plastic Extrusions: Part II – Long-term Flexural Loading*, 23 (8), 799.

Zhou, J. and Y. Zhong, *Effects of Hygrothermal Cycling on Properties of Glass–Vinyl Ester Composite*, 23 (5), 483.

Zhou, X., A. Chattopadhyay and H. S. Kim, *An Efficient Layerwise Shear-deformation Theory and Finite Element Implementation*, 23 (2), 131.

Zurina, M., H. Ismail and A. A. Bakar, *Partial Replacement of Silica by Rice Husk Powder in Polystyrene–Styrene Butadiene Rubber Blends*, 23 (13), 1397.